Index to Volume 71
Author Index

Abbou, R. *See* J. Abecassis, 247
Abecassis, J., R. Abbou, M. Chaurand, M.-H. Morel, and P. Vernoux. Influence of extrusion conditions on extrusion speed, temperature, and pressure in the extruder and on pasta quality, 247
Akers, A. A., and R. C. Hoseney. Water-soluble dextrins from α-amylase-treated bread and their relationship to bread firming, 223
Allen, H. M. *See* J. R. Oliver, 51
Allvin, B. *See* M. Stone, 269
Alvarez, J. B., J. M. Urbano, and L. M. Martin. NOTE: Effect on flour quality from inclusion of the *Hordeum chilense* genome into the genetic background of wheat, 517
Anderson, M. H. *See* J. E. Kruger, 177
Andonova, P. P. *See* Y. Matsumura, 428
Armbrister, W. L., and C. S. Setser. Sensory and physical properties of chocolate chip cookies made with vegetable shortening or fat replacers at 50 and 75% levels, 344
Aro, T. *See* A. Lapveteläinen, 133
Autio, K. *See* T. Parkkonen, 58
Autran, J.-C. *See* F. Bénétrix, 75
———. *See* V. Melas, 234
Axtell, J. D. *See* B. R. Hamaker, 515

Baik, B.-K., Z. Czuchajowska, and Y. Pomeranz. Role and contribution of starch and protein contents and quality to texture profile analysis of oriental noodles, 315
Bath, D. E., and R. C. Hoseney. A laboratory-scale bagel-making procedure, 403
Bazin, S. L. *See* A. W. MacGregor, 610
Bechtel, D. B. *See* I. Y. Zayas, 82
Bekes, F., P. W. Gras, and R. B. Gupta. Mixing properties as a measure of reversible reduction and oxidation of doughs, 44
———. *See* J. F. Panozzo, 195
Bénétrix, F., A. Sarrafi, and J.-C. Autran. Effects of genotype and nitrogen nutrition on protein aggregates in barley, 75
Berglund, P. T., C. E. Fastnaught, and E. T. Holm. Physicochemical and sensory evaluation of extruded high-fiber barley cereals, 91
Bergman, C. J., D. G. Gualberto, and C. W. Weber. Development of a high-temperature-dried soft wheat pasta supplemented with cowpea (*Vigna unguiculata* (L.) Walp). Cooking quality, color, and sensory evaluation, 523
Berke, T. G. *See* J. Li, 87
Bernardin, J. E. *See* Y.-C. Shi, 369
Bhatnagar, S., and M. A. Hanna. Amylose-lipid complex formation during single-screw extrusion of various corn starches, 582
———, and ———. Extrusion processing conditions for amylose-lipid complexing, 587
Bhattacharya, K. R. *See* K. Radhika Reddy, 548
Bhattacharya, M. *See* M. Sutheerawattananonda, 627
Bietz, J. A. *See* A. J. Peplinski, 129
Blackwell, B. A. *See* P. J. Wood, 301
Börjesson, T., U. Stöllman, and J. Schnürer. Adsorption of volatile fungal metabolites to wheat grains and subsequent desorption, 16
Boyacioglu, M. H., and B. L. D'Appolonia. Characterization and utilization of durum wheat for breadmaking. I. Comparison of chemical, rheological, and baking properties between bread wheat flours and durum wheat flours, 21
———, and ———. Characterization and utilization of durum wheat for breadmaking. II. Study of flour blends and various additives, 28
———, and ———. Characterization and utilization of durum wheat for breadmaking. III. Staling properties of bread baked from bread wheat flours and durum wheat flours, 34
Bradford, J. L. *See* W. F. Haddon, 207
Bramel-Cox, P. *See* V. Subramanian, 272, 275
Bushuk, W. *See* D. Fenn, 189
———. *See* Y. Inoue, 118
———. *See* H. D. Sapirstein, 383

Campbell, M. R., L. M. Pollak, and P. J. White. Effect of planting date on maize starch thermal properties, 556
———, P. J. White, and L. M. Pollak. Dosage effect at the sugary-2 locus on maize starch structure and function, 464
Cerletti, P. *See* L. Eynard, 434
Champagne, E. T., and R. J. Hron, Sr. Inhibition of lipase activity and oxidation in brown rice products by extraction with ethanol containing chelators/acidulants, 483
Chang, W.-H. *See* R.-M. Huang, 202
Chang, Y.-H. *See* R.-M. Huang, 202
Chaurand, M. *See* J. Abecassis, 247
Chen, J., and J. Jane. Preparation of granular cold-water-soluble starches by alcoholic-alkaline treatment, 618
———, and ———. Properties of granular cold-water-soluble starches prepared by alcoholic-alkaline treatment, 623
Chung, O. K. *See* H. Park, 412
Cillen, G. *See* R. C. Eerlingen, 170
Curioni, A. *See* A. D. B. Peruffo, 122
Czuchajowska, Z. *See* B.-K. Baik, 315
———. *See* P.-Y. Lin, 69

Dagher, S. *See* I. Toufeili, 594
D'Appolonia, B. L. *See* M. H. Boyacioglu, 21, 28, 34
Degré, R. L. *See* W. F. Haddon, 207
De La Cruz, N. M. *See* C. P. Villareal, 292
Delcour, J. A. *See* R. C. Eerlingen, 165, 170, 351, 472
Dempster, R. E. *See* I. Y. Zayas, 82
De Paepe, G. *See* R. C. Eerlingen, 165
DePauw, R. *See* D. Fenn, 189
———. *See* J. E. Kruger, 324
Dexter, J. E., B. A. Marchylo, and V. J. Mellish. Effects of frost damage and immaturity on the quality of durum wheat, 494
———, D. G. Martin, G. T. Sadaranganey, J. Michaelides, N. Mathieson, J. J. Tkac, and B. A. Marchylo. Preprocessing: Effects on durum wheat milling and spaghetti-making quality, 10
———. *See* J. E. Kruger, 177
Ding, X.-L. *See* J. Tang, 364
Drapron, R. *See* J. Potus, 505

Eckhoff, S. R. *See* A. Song, 458, 461
Eerlingen, R. C., G. Cillen, and J. A. Delcour. Enzyme-resistant starch. IV. Effect of endogenous lipids and added sodium dodecyl sulfate on formation of resistant starch, 170
———, H. Jacobs, and J. A. Delcour. Enzyme-resistant starch. V. Effect of retrogradation of waxy maize starch on enzyme susceptibility, 351
———, I. Van Den Broeck, J. A. Delcour, L. Slade, and H. Levine. Enzyme-resistant starch. VI. Influence of sugars on resistant starch formation, 472
———, I. P. Van Haesendonck, G. De Paepe, and J. A. Delcour. Enzyme-resistant starch. III. The quality of straight-dough bread containing varying levels of enzymes-resistant starch, 165
Effio, A. *See* W. F. Haddon, 207
Eggum, B. O., H. Satoh, and B. O. Juliano. Protein quality evaluation of cooked rice for protein mutants in growing rats, 199
Eoff, L. *See* M. Stone, 269
Eynard, L., N. Guerrieri, and P. Cerletti. Determination of wheat proteins in solution by dye binding in flour, dough, and bread crumb, 434

Farran, M. T. *See* I. Toufeili, 594
Fastnaught, C. E. *See* P. T. Berglund, 91
Faubion, J. M. *See* J. Singh, 417
Feillet, P. *See* V. Melas, 234
Fenn, D., O. M. Lukow, W. Bushuk, and R. M. Depauw. Milling and baking quality of 1BL/1RS translocation wheats. I. Effects of genotype and environment, 189
Flissebaalje, T. *See* P. L. Weegels, 308
Fox, S. R. *See* D. J. Myers, 96
Freeman, T. *See* K. Khan, 242
Frey, K. J. *See* S. Parmar, 537
Fulcher, R. G. *See* S. S. Miller, 64
———. *See* M. Sutheerawattananonda, 627

Gélinas, P., M. Lagimonière, and N. Rodrigue. Performance of cream or compressed yeast in frozen and nonfrozen doughs, 183
Gelroth, J. A. *See* D. E. Rogers, 578
———. *See* G. S. Ranhotra, 159, 321, 553
Gibson, T. S. *See* B. V. McCleary, 501

Index to Volume 71
Author Index

Abbou, R. *See* J. Abecassis, 247
Abecassis, J., R. Abbou, M. Chaurand, M.-H. Morel, and P. Vernoux. Influence of extrusion conditions on extrusion speed, temperature, and pressure in the extruder and on pasta quality, 247
Akers, A. A., and R. C. Hoseney. Water-soluble dextrins from α-amylase-treated bread and their relationship to bread firming, 223
Allen, H. M. *See* J. R. Oliver, 51
Allvin, B. *See* M. Stone, 269
Alvarez, J. B., J. M. Urbano, and L. M. Martin. NOTE: Effect on flour quality from inclusion of the *Hordeum chilense* genome into the genetic background of wheat, 517
Anderson, M. H. *See* J. E. Kruger, 177
Andonova, P. P. *See* Y. Matsumura, 428
Armbrister, W. L., and C. S. Setser. Sensory and physical properties of chocolate chip cookies made with vegetable shortening or fat replacers at 50 and 75% levels, 344
Aro, T. *See* A. Lapveteläinen, 133
Autio, K. *See* T. Parkkonen, 58
Autran, J.-C. *See* F. Bénétrix, 75
———. *See* V. Melas, 234
Axtell, J. D. *See* B. R. Hamaker, 515

Baik, B.-K., Z. Czuchajowska, and Y. Pomeranz. Role and contribution of starch and protein contents and quality to texture profile analysis of oriental noodles, 315
Bath, D. E., and R. C. Hoseney. A laboratory-scale bagel-making procedure, 403
Bazin, S. L. *See* A. W. MacGregor, 610
Bechtel, D. B. *See* I. Y. Zayas, 82
Bekes, F., P. W. Gras, and R. B. Gupta. Mixing properties as a measure of reversible reduction and oxidation of doughs, 44
———. *See* J. F. Panozzo, 195
Bénétrix, F., A. Sarrafi, and J.-C. Autran. Effects of genotype and nitrogen nutrition on protein aggregates in barley, 75
Berglund, P. T., C. E. Fastnaught, and E. T. Holm. Physicochemical and sensory evaluation of extruded high-fiber barley cereals, 91
Bergman, C. J., D. G. Gualberto, and C. W. Weber. Development of a high-temperature-dried soft wheat pasta supplemented with cowpea (*Vigna unguiculata* (L.) Walp). Cooking quality, color, and sensory evaluation, 523
Berke, T. G. *See* J. Li, 87
Bernardin, J. E. *See* Y.-C. Shi, 369
Bhatnagar, S., and M. A. Hanna. Amylose-lipid complex formation during single-screw extrusion of various corn starches, 582
———, and ———. Extrusion processing conditions for amylose-lipid complexing, 587
Bhattacharya, K. R. *See* K. Radhika Reddy, 548
Bhattacharya, M. *See* M. Sutheerawattananonda, 627
Bietz, J. A. *See* A. J. Peplinski, 129
Blackwell, B. A. *See* P. J. Wood, 301
Börjesson, T., U. Stöllman, and J. Schnürer. Adsorption of volatile fungal metabolites to wheat grains and subsequent desorption, 16
Boyacioglu, M. H., and B. L. D'Appolonia. Characterization and utilization of durum wheat for breadmaking. I. Comparison of chemical, rheological, and baking properties between bread wheat flours and durum wheat flours, 21
———, and ———. Characterization and utilization of durum wheat for breadmaking. II. Study of flour blends and various additives, 28
———, and ———. Characterization and utilization of durum wheat for breadmaking. III. Staling properties of bread baked from bread wheat flours and durum wheat flours, 34
Bradford, J. L. *See* W. F. Haddon, 207
Bramel-Cox, P. *See* V. Subramanian, 272, 275
Bushuk, W. *See* D. Fenn, 189
———. *See* Y. Inoue, 118
———. *See* H. D. Sapirstein, 383

Campbell, M. R., L. M. Pollak, and P. J. White. Effect of planting date on maize starch thermal properties, 556
———, P. J. White, and L. M. Pollak. Dosage effect at the sugary-2 locus on maize starch structure and function, 464
Cerletti, P. *See* L. Eynard, 434
Champagne, E. T., and R. J. Hron, Sr. Inhibition of lipase activity and oxidation in brown rice products by extraction with ethanol containing chelators/acidulants, 483
Chang, W.-H. *See* R.-M. Huang, 202
Chang, Y.-H. *See* R.-M. Huang, 202
Chaurand, M. *See* J. Abecassis, 247
Chen, J., and J. Jane. Preparation of granular cold-water-soluble starches by alcoholic-alkaline treatment, 618
———, and ———. Properties of granular cold-water-soluble starches prepared by alcoholic-alkaline treatment, 623
Chung, O. K. *See* H. Park, 412
Cillen, G. *See* R. C. Eerlingen, 170
Curioni, A. *See* A. D. B. Peruffo, 122
Czuchajowska, Z. *See* B.-K. Baik, 315
———. *See* P.-Y. Lin, 69

Dagher, S. *See* I. Toufeili, 594
D'Appolonia, B. L. *See* M. H. Boyacioglu, 21, 28, 34
Degré, R. L. *See* W. F. Haddon, 207
De La Cruz, N. M. *See* C. P. Villareal, 292
Delcour, J. A. *See* R. C. Eerlingen, 165, 170, 351, 472
Dempster, R. E. *See* I. Y. Zayas, 82
De Paepe, G. *See* R. C. Eerlingen, 165
DePauw, R. *See* D. Fenn, 189
———. *See* J. E. Kruger, 324
Dexter, J. E., B. A. Marchylo, and V. J. Mellish. Effects of frost damage and immaturity on the quality of durum wheat, 494
———, D. G. Martin, G. T. Sadaranganey, J. Michaelides, N. Mathieson, J. J. Tkac, and B. A. Marchylo. Preprocessing: Effects on durum wheat milling and spaghetti-making quality, 10
———. *See* J. E. Kruger, 177
Ding, X.-L. *See* J. Tang, 364
Drapron, R. *See* J. Potus, 505

Eckhoff, S. R. *See* A. Song, 458, 461
Eerlingen, R. C., G. Cillen, and J. A. Delcour. Enzyme-resistant starch. IV. Effect of endogenous lipids and added sodium dodecyl sulfate on formation of resistant starch, 170
———, H. Jacobs, and J. A. Delcour. Enzyme-resistant starch. V. Effect of retrogradation of waxy maize starch on enzyme susceptibility, 351
———, I. Van Den Broeck, J. A. Delcour, L. Slade, and H. Levine. Enzyme-resistant starch. VI. Influence of sugars on resistant starch formation, 472
———, I. P. Van Haesendonck, G. De Paepe, and J. A. Delcour. Enzyme-resistant starch. III. The quality of straight-dough bread containing varying levels of enzymes-resistant starch, 165
Effio, A. *See* W. F. Haddon, 207
Eggum, B. O., H. Satoh, and B. O. Juliano. Protein quality evaluation of cooked rice for protein mutants in growing rats, 199
Eoff, L. *See* M. Stone, 269
Eynard, L., N. Guerrieri, and P. Cerletti. Determination of wheat proteins in solution by dye binding in flour, dough, and bread crumb, 434

Farran, M. T. *See* I. Toufeili, 594
Fastnaught, C. E. *See* P. T. Berglund, 91
Faubion, J. M. *See* J. Singh, 417
Feillet, P. *See* V. Melas, 234
Fenn, D., O. M. Lukow, W. Bushuk, and R. M. Depauw. Milling and baking quality of 1BL/1RS translocation wheats. I. Effects of genotype and environment, 189
Flissebaalje, T. *See* P. L. Weegels, 308
Fox, S. R. *See* D. J. Myers, 96
Freeman, T. *See* K. Khan, 242
Frey, K. J. *See* S. Parmar, 537
Fulcher, R. G. *See* S. S. Miller, 64
———. *See* M. Sutheerawattananonda, 627

Gélinas, P., M. Lagimonière, and N. Rodrigue. Performance of cream or compressed yeast in frozen and nonfrozen doughs, 183
Gelroth, J. A. *See* D. E. Rogers, 578
———. *See* G. S. Ranhotra, 159, 321, 553
Gibson, T. S. *See* B. V. McCleary, 501

Glaser, B. K. *See* G. S. Ranhotra, 159, 321, 553
Glover, D. V. *See* J. Li, 87
Gras, P. W. *See* F. Bekes, 44
Grove, M. J. *See* C. A. Knutson, 469
Gualberto, D. G. *See* C. J. Bergman, 523
Guan, F., and P. A. Seib. Instrumental probe and method to measure stickiness of cooked spaghetti and noodles, 330
Guerrieri, N. *See* L. Eynard, 434
Gupta, R. B. *See* F. Bekes, 44
———. *See* J. F. Panozzo, 195

Häberli, G. *See* M. Stone, 269
Haddon, W. F., M. L. Mancini, M. McLaren, A. Effio, L. A. Harden, R. L. Degré, and J. L. Bradford. Occurrence of ethyl carbamate (urethane) in U.S. and Canadian breads: Measurements by gas chromatography-mass spectrometry, 207
Hamaker, B. R., E. T. Mertz, and J. D. Axtell. NOTE: Effect of extrusion on sorghum kafirin solubility, 515
———. *See* P. S. Landers, 409
Hamann, D. D. *See* S. S. Heddleson, 564
Hamer, R. J. *See* P. L. Weegels, 308
Hammond, E. G. *See* S. Parmar, 537
Hanna, M. A. *See* S. Bhatnagar, 582, 587
Hara, H. *See* K. Shiiba, 279
Harden, L. A. *See* W. F. Haddon, 207
Hardy, C. L., and C. R. Hurburgh, Jr. Immunoassay detection of herbicide residues in corn, 107
Haridas Rao, P. *See* C. N. Vatsala, 635
Härkönen, H. *See* T. Parkkonen, 58
Hatcher, D. W. *See* J. E. Kruger, 324
Hayashi, Y. *See* Y. Matsumura, 428
Hazelton, J. L., and C. E. Walker. NOTE: Changes in mixograms resulting from variations in shear caused by different bowl pin sizes, 632
Heddleston, S. S., D. D. Hamann, D. R. Lineback, and L. Slade. Pressure-sensitive adhesive properties of wheat flour dough and the influence of temperature, separation rate, and moisture content, 564
Hernandez, M. *See* A. Sotelo, 605
Higasa, T. *See* M. Seguchi, 636
Holm, E. T. *See* P. T. Berglund, 91
Hoseney, R. C. *See* A. A. Akers, 223
———. *See* D. E. Bath, 403
———. *See* O. L. Kilmer, 476
———. *See* B. K. Koh, 311
———. *See* J. Singh, 417
———. *See* L. G. Sternhagen, 560
———. *See* V. Subramanian, 272, 275
———. *See* K. E. J. Ward, 150
Hron, R. J., Sr. *See* E. T. Champagne, 483
Hsieh, F. *See* Z. Jin, 227
Huang, R.-M., W.-H. Chang, Y.-H. Chang, and Lii, C.-Y. Phase transitions of rice starch and flour gels, 202
Huckle, L. *See* K. Khan, 242
Huebner, F. R. NOTE: Suitability of lithium chloride solutions for wheat gliadin extraction, 513
Huff, H. E. *See* Z. Jin, 227
Hurburgh, C. R., Jr. *See* C. L. Hardy, 107

Inglett, G. E. *See* Y. V. Wu, 220
Inoue, Y., H. D. Sapirstein, S. Takayanagi, and W. Bushuk. Studies on frozen doughs. III. Some factors involved in dough weakening during frozen storage and thaw-freeze cycles, 118

Jacobs, H. *See* R. C. Eerlingen, 351
Jane, J. *See* J. Chen, 618, 623
———. *See* T. Kasemsuwan, 282
———. *See* S.-T. Lim, 488
———. *See* Y.-J. Wang, 527
Jin, Z., F. Hsieh, and H. E. Huff. Extrusion cooking of corn meal with soy fiber, salt, and sugar, 227
Jonsson, A. *See* S. Regnér, 55
Juliano, B. O. *See* B. O. Eggum, 199
———. *See* C. P. Villareal, 292

Kasarda, D. D. *See* W. E. Werner, 397
Kasemsuwan, T., and J. Jane. Location of amylose in normal starch granules. II. Locations of phophodiester cross-linking revealed by phosphorus-31 nuclear magnetic resonance, 282
———. *See* S.-T. Lim, 483
Kasumimoto, H. *See* W. Tsuzuki, 162
Khan, K., L. Huckle, and T. Freeman. Disaggregation of glutenin with low concentrations of reducing agent and with sonication: Solubility, electrophoretic, and scannning electron microscopy studies, 242
Kilmer, O. L., P. A. Seib, and R. C. Hoseney. Effects of minerals and apparent phytase activity in the development of the hard-to-cook state of beans, 476
King, J. W. *See* Y. V. Wu, 217
Kitahara, K., T. Suganuma, and T. Nagahama. Bound free fatty acids in glucoamylase-digested starches of corn and sweetpotato, 439
Klopfenstein, C. F. *See* B. B. Maziya-Dixon, 287, 359, 539, 544
Knutson, C. A., and M. J. Grove. Rapid method for estimation of amylose in maize starches, 469
Kobayashi, S. *See* W. Tsuzuki, 162
Koh, B. K., and R. C. Hoseney. Methoxyhydroquinone in wheat flour, 311
Kruger, J. E., M. H. Anderson, and J. E. Dexter. Effect of flour refinement on raw cantonese noodle color and texture, 177
———, D. W. Hatcher, and R. De Pauw. A whole seed assay for polyphenol oxidase in Canadian Prairie spring wheats and its usefulness as a measure of noodle darkening, 324
Kruk, M. *See* E. Souza, 601
Kulp, K. *See* T.-T. Valjakka, 139

Lagimonière, M. *See* P. Gélinas, 183
Lakshminarayana, G. *See* R. Sridhar, 355
Lance, R. C. M. *See* M. J. Sissons, 520
Landers, P. S., and B. R. Hamaker. Antigenic properties of albumin, globulin, and protein concentrate fractions from rice bran, 409
Langemeier, J. M. *See* D. E. Rogers, 578
Lapveteläinen, A., and T. Aro. Protein composition and functionality of high-protein oat flour derived from integrated starch-ethanol process, 133
Leipold, H. W. *See* B. B. Maziya-Dixon, 359
Levine, H. *See* R. C. Eerlingen, 472
Li, J., T. G. Berke, and D. V. Glover. Variation for thermal properties of starch in tropical maize germ plasm, 87
Lii, C.-Y. *See* R.-M. Huang, 202
Lim, S.-T., T. Kasemsuwan, and J.-L. Jane. Characterization of phosphorus in starch by ^{31}P-nuclear magnetic resonance spectroscopy, 483
Lin, P.-Y., Z. Czuchajowska, and Y. Pomeranz. Enzyme-resistant starch in yellow layer cake, 69
Lineback, D. R. *See* S. S. Heddleson, 564
Lorenz, K. *See* M. Stone, 269
Lukow, O. M. *See* D. Fenn, 189

MacGregor, A. W., L. J. Macri, S. W. Schroeder, and S. L. Bazin. Limit dextrinase from malted barley: Extraction, purification, and characterization, 610
Macri, L. J. *See* A. W. MacGregor, 610
Mancini, M. L. *See* W. F. Haddon, 207
Marchylo, B. A. *See* J. E. Dexter, 10, 494
Marlett, J. A. *See* N. W. Vollendorf, 99
Martin, D. G. *See* J. E. Dexter, 10
Martin, L. M. *See* J. B. Alvarez, 517
Mathieson, N. *See* J. E. Dexter, 10
Matsumura, Y., P. P. Andonova, Y. Hayashi, H. Murakami, and T. Mori. Antioxidant activities of zeins from different maize varieties against docosahexaenoic acid ethyl ester, 428
Maziya-Dixon, B. B., and C. F. Klopfenstein. Nutritional properties of hard white and hard red winter wheats and oatmeal. I. Effects on cholesterol levels and fecal fat, neutral sterols, and bile acids in cholesterol-fed rats, 539
———, and ———. Nutritional properties of hard white and hard red winter wheats and oatmeal. II. Effects on fecal water-holding capacity and loss of protein, ash, calcium, and zinc in cholesterol-fed rats, 544
———, ———, and H. W. Leipold. Protective effects of hard red versus hard white winter wheats in chemically induced colon cancer in CF1 mice, 359
———, ———, and C. E. Walker. Freeze-dried wheat water solubles from a starch-gluten washing stream: Functionality in angel food cakes and nutritional properties compared with oat bran, 287
McCleary, B. V., T. S. Gibson, V. Solah, and D. C. Mugford. Total starch measurement in cereal products: Interlaboratory evaluation of a rapid enzymic test procedure, 501
McLaren, M. *See* W. F. Haddon, 207
Melas, V., M.-H. Morel, J.-C. Autran, and P. Feillet. Simple and rapid method for purifying low molecular weight subunits of glutenin from wheat, 234
Mellish, V. J. *See* J. E. Dexter, 494
Mertz, E. T. *See* B. R. Hamaker, 515
Michaelides, J. *See* J. E. Dexter, 10

Miller, S. S., and R. G. Fulcher. Distribution of (1→3),(1→4)-β-D-glucan in kernels of oats and barley using microspectrofluorometry, 64
Montalvo, I. *See* A. Sotelo, 605
Moore, W. *See* M. Sutheerawattananonda, 627
Morel, M.-H. Acid-polyacrylamide gel electrophoresis of wheat glutenins: A new tool for the separation of high and low molecular weight subunits, 238
———. *See* J. Abecassis, 247
———. *See* V. Melas, 234
Mori, T. *See* Y. Matsumura, 428
———. *See* M. Seguchi, 636
Mugford, D. C. *See* B. V. McCleary, 501
Murakami, H. *See* Y. Matsumura, 428
Myers, D. J., and S. R. Fox. Alkali wet-milling characteristics of pearled and unpearled amaranth seed, 96

Nagahama, T. *See* K. Kitahara, 439
Norton, R. A. Isolation and identification of steryl cinnamic acid derivatives from corn bran, 111
Noureddine, A. *See* I. Toufeili, 594

Obiri-Danso, K. Microbiological studies on corn dough fermentation, 186
Oda, S. Communication to the Editor: Two-dimensional electrophoretic analysis of friabilin, 394
Okada, K. *See* K. Shiiba, 279
Oliver, J. R., and H. M. Allen. The mixing requirement of the Australian hard wheat cultivar, Dollarbird, 51

Panozzo, J. F., F. Bekes, C. W. Wrigley, and R. B. Gupta. The effects of bromate (0-30 ppm) on the proteins and lipids of dough, 195
Park, H., P. A. Seib, and O. K. Chung. Stabilities of several forms of vitamin C during making and storing of pup-loaves of white pan bread, 412
Parkkonen, T., H. Härkönen, and K. Autio. Effect of baking on the microstructure of rye cell walls and protein, 58
Parmar, S., E. G. Hammond, and K. J. Frey. Effect of variety and growth conditions on the ability of moist oat caryopses to hydrolyze triglycerides, 537
Paulis, J. W. *See* A. J. Peplinski, 129
Pellegrino, L. *See* P. Resmini, 254
Peltonen, J., and A. Virtanen. Effect of nitrogen fertilizers differing in release characteristics on the quantity of storage proteins in wheat, 1
Peplinski, A. J., J. W. Paulis, J. A. Bietz, and R. C. Pratt. Drying of high-moisture corn: Changes in properties and physical quality, 129
Peruffo, A. D. B., A. Curioni, G. Pressi, N. E. Pogna, and A. Zamorani. Adsorption chromatography on controlled-pore glass beads of acetic-acid-soluble wheat gluten proteins, 122
Peterson, D. M. Barley tocols: Effects of milling, malting, and mashing, 42
Pogna, N. E. *See* A. D. B. Peruffo, 122
Poiffait, A. *See* J. Potus, 505
Politz, M. L., J. D. Timpa, and B. P. Wasserman. Quantitative measurement of extrusion-induced starch fragmentation products in maize flour using nonaqueous automated gel-permeation chromatography, 532
Pollak, L. M. *See* M. R. Campbell, 464, 556
Pomeranz, Y. *See* B.-K. Baik, 315
———. *See* P.-Y. Lin, 69
Ponte, J. G., Jr. *See* T.-T. Valjakka, 139, 145
Potus, J., A. Poiffait, and R. Drapron. Influence of dough-making conditions on the concentration of individual sugars and their utilization during fermentation, 505
Pratt, R. C. *See* A. J. Peplinski, 129
Pressi, G. *See* A. D. B. Peruffo, 122
Preston, K. R. *See* S. G. Stevenson, 155
———. *See* Y. Yamada, 297

Radhika Reddy, K., R. Subramanian, S. Zakiuddin Ali, and K. R. Bhattacharya. Viscoelastic properties of rice-flour pastes and their relationship to amylose content and rice quality, 548
Ramirez-Wong, B., V. E. Sweat, P. I. Torres, and L. W. Rooney. Cooking time, grinding, and moisture content effect on fresh corn masa texture, 337
———. *See* P. I. Torres, 509
Ranhotra, G. S., J. A. Gelroth, and B. K. Glaser. Energy value of medium-chain triglycerides in muffins fed to rats, 553
———, ———, ———. Usable energy value of a synthetic fat (caprenin) in muffins fed to rats, 159
———, ———, ———, and P. V. Reddy. Nutritional profile of a fraction from air-classified bran obtained from a hard red wheat, 321
———. *See* D. E. Rogers, 578
Rayas-Duarte, P. *See* J. Uriyapongson, 571
Reddy, P. V. *See* G. S. Ranhotra, 321
Regnér, S., J. Schnürer, and A. Jonsson. Ergosterol content in relation to grain kernel weight, 55
Resmini, P., and L. Pellegrino. Occurrence of protein-bound lysylpyrrolaldehyde in dried pasta, 254
Rodrigue, N. *See* P. Gélinas, 183
Rogers, D. E., J. A. Gelroth, J. M. Langemeier, and G. S. Ranhotra. Evaluation of starch damage values determined enzymatically or amperometrically, 578
Roller, R. *See* H. D. Sapirstein, 383
Rooney, L. W. *See* B. Ramirez-Wong, 337
———. *See* P. I. Torres, 509

Sadaranganey, G. T. *See* J. E. Dexter, 10
Sapirstein, H. D., R. Roller, and W. Bushuk. Instrumental measurement of bread crumb grain by digital image analysis, 383
———. *See* Y. Inoue, 118
Sarakbi, M. *See* I. Toufeili, 594
Sarrafi, A. *See* F. Bénétrix, 75
Satoh, H. *See* B. O. Eggum, 199
Schnürer, J. *See* T. Börjesson, 16
———. *See* S. Regnér, 55
Schroeder, S. W. *See* A. W. MacGregor, 610
Seguchi, M., T. Higasa, and T. Mori. NOTE: Study of wheat starch structures by sonication treatment, 636
Seib, P. A. *See* F. Guan, 330
———. *See* O. L. Kilmer, 476
———. *See* H. Park, 412
———. *See* Y.-C. Shi, 369
———. *See* K. E. J. Ward, 150
Serna-Saldívar, S. O. *See* P. I. Torres, 509
Setser, C. S. *See* W. L. Armbrister, 344
Shadarevian, S. *See* I. Toufeili, 594
Shi, Y.-C., P. A. Seib, and J. E. Bernardin. Effects of temperature during grain-filling on starches from six wheat cultivars, 369
Shiiba, K., H. Yamada, H. Hara, and K. Okada. Preparation and effect of cell-wall hydrolysate from wheat bran on mixing properties of dough, 279
Siebenmorgen, T. J., and H. Sun. Relationship between milled rice surface fat concentration and degree of milling as measured with a commercial milling meter, 327
Singh, J., R. C. Hoseney, and J. M. Faubion. Effect of dough properties on extrusion-formed and baked snacks, 417
Sissons, M. J.., R. C. M. Lance, and W. Wallace. NOTE: Bound and free forms of barley limit dextrinase, 520
Slade, L. *See* R. C. Eerlingen, 472
———. *See* S. S. Heddleson, 564
Sokhansanj, S. *See* J. Tang, 423
Solah, V. *See* B. V. McCleary, 501
Song, A., and S. R. Eckhoff. Individual kernel moisture content of preshelled and shelled popcorn and equilibrium isotherms of popcorn kernels of different sizes, 461
———, and ———. Optimum popping moisture content for popcorn kernels of different sizes, 458
Sosulski, F. W. *See* J. Tang, 423
Sotelo, A., M. Hernandez, I. Montalvo, and V. Sousa. Amino acid content and protein biological evaluation of 12 Mexican varieties of rice, 605
Sousa, V. *See* A. Sotelo, 605
Souza, E., M. Kruk, and D. W. Sunderman. Association of sugar-snap cookie quality with high molecular weight glutenin alleles in soft white spring wheats, 601
Sridhar, R., and G. Lakshminarayana. Contents of total lipids and lipid classes and composition of fatty acids in small millets: Foxtail (*Setaria italica*), proso (*Panicum miliaceum*), and finger (*Eleusine coracana*), 355
Sternhagen, L. G., and R. C. Hoseney. Firming effects in Danish pastry, 560
Stevenson, S. G., and K. R. Preston. Intrinsic fluorescence and quenching studies of gluten proteins, 155
Stöllman, U. *See* T. Börjesson, 16
Stone, M., L. Eoff, K. Lorenz, G. Häberli, and B. Allvin. Correction equation development for falling number values from ground wheat meals, 269
Stringfellow, A. C. *See* Y. V. Wu, 220
Subramanian, R. *See* K. Radhika Reddy, 548
Subramanian, V., R. C. Hoseney, and P. Bramel-Cox. Factors affecting the color and appearance of sorghum starch, 275
———, ———, and ———. Shear thinning properties of sorghum and corn

starches, 272
Suganuma, T. *See* K. Kitahara, 439
Sun, H. *See* T. J. Siebenmorgen, 327
Sunderman, D. W. *See* E. Souza, 601
Sutheerawattananonda, M., M. Bhattacharya, W. Moore, and R. G. Fulcher. Differences in physical properties and microstructure of wheat cultivars in extrusion qualities, 627
Suzuki, T. *See* W. Tsuzuki, 162
Sweat, V. E. *See* B. Ramirez-Wong, 337

Takayanagi, S. *See* Y. Inoue, 118
Takeda, K. Effects of various lipid frations of wheat flour on expansion of sponge cake, 6
Tang, J., and X.-L. Ding. Relationship between functional properties and macromolecular modifications of extruded corn starch, 364
——, S. Sokhansanj, and F. W. Sosulski. Moisture-absorption characteristics of Laird lentils and hardshell seeds, 423
Timpa, J. D. *See* M. L. Politz, 532
Tkac, J. J. *See* J. E. Dexter, 10
Torres, P. I., B. Ramírez-Wong, S. O. Serna-Saldívar, and L. W. Rooney. Effect of decorticated sorghum addition on the rheological properties of wheat tortilla dough, 509
——. *See* B. Ramirez-Wong, 337
Toufeili, I., S. Dagher, S. Shadarevian, A. Noureddine, M. Sarakbi, and M. T. Farran. Formulation of gluten-free pocket-type flat breads: Optimization of methylcellulose, gum arabic, and egg albumen levels by response surface methodology, 594
Tsuzuki, W., H. Kasumimoto, S. Kobayashi, and T. Suzuki. Esterase activity and free fatty acid accumulation in the bran of selected rice cultivars, 162

Urbano, J. M. *See* J. B. Alvarez, 517
Uriyapongson, J., and P. Rayas-Duarte. Comparison of yield and properties of amaranth starches using wet and dry-wet milling processes, 571

Valjakka, T.-T., J. G. Ponte, Jr., and K. Kulp. Studies on a raw-starch digesting enzyme. I. Comparison to fungal and bacterial enzymes and an emulsifier in white pan bread, 139, 145
——, ——, and ——. Studies on a raw-starch digesting enzyme. II. Replacement of sucrose in white pan bread, 145
Van Den Broeck, I. *See* R. C. Eerlingen, 472
Van Haesendonck, I. P. *See* R. C. Eerlingen, 165
Vatsala, C. N., and P. Haridas Rao. NOTE: Rapid determination of dry gluten by microwave, 635
Vernoux, P. *See* J. Abecassis, 247
Villareal, C. P., N. M. De La Cruz, and B. O. Juliano. Rice amylose analysis by near-infrared transmittance spectroscopy, 292
Virtanen, A. *See* J. Peltonen, 1
Vollendorf, N. W., and J. A. Marlett. Dietary fiber content and composition in home-prepared and commercially baked products: Analysis and prediction, 99

Walker, C. E. *See* J. L. Hazelton, 632
——. *See* B. B. Maziya-Dixon, 287
Wallace, W. *See* M. J. Sissons, 520
Wang, L. Z., and P. J. White. Functional properties of oat starches and relationships among functional and structural characteristics, 451
——, and ——. Structure and physicochemical properties of starches from oats with different lipid contents, 443
——, and ——. Structure and properties of amylose, amylopectin, and intermediate materials of oat starches, 263
Wang, Y.-J., and J. Jane. Correlation between glass transition temperature and starch retrogradation in the presence of sugars and maltodextrins, 527
Ward, K. E. J., R. C. Hoseney, and P. A. Seib. Retrogradation of amylopectin from maize and wheat starches, 150
Warner, K. *See* Y. V. Wu, 217
Wasserman, B. P. *See* M. L. Politz, 532
Weber, C. W. *See* C. J. Bergman, 523
Weegels, P. L., T. Flissebaalje, and R. J. Hamer. NOTE: Factors affecting the extractability of the glutenin macropolymer, 308
Weisz, J. *See* P. J. Wood, 301
Werner, W. E., J. E. Wiktorowicz, and D. D. Kasarda. Wheat varietal identification by capillary electrophoresis of gliadins and high molecular weight glutenin subunits, 397
Whistler, R. L. *See* J. Zhao, 392
White, P. J. *See* M. R. Campbell, 464, 556
——. *See* L. Z. Wang, 263, 443, 451
Wiktorowicz, J. E. *See* W. E. Werner, 397
Wilson, J. D. *See* I. Y. Zayas, 82
Wood, P. J., J. Weisz, and B. A. Blackwell. Structural studies of (1→3),(1→4)-β-D-glucans by ^{13}C-nuclear magnetic resonance spectroscopy and by rapid analysis of cellulose-like regions using high-performance anion-exchange chromatography of oligosaccharides released by lichenase, 301
Wrigley, C. W. *See* J. F. Panozzo, 195
Wu, Y. V., J. W. King, and K. Warner. Evaluation of corn gluten meal extracted with supercritical carbon dioxide and other solvents: Flavor and composition, 217
——, A. C. Stringfellow, and G. E. Inglett. Protein- and β-glucan enriched fractions from high-protein, high β-glucan barleys by sieving and air classification, 220

Yamada, Y., and K. R. Preston. Sponge-and-dough bread: Effects of oxidants on bread and oven rise properties of a Canadian red spring wheat patent flour, 297
——. *See* K. Shiiba, 279

Zakiuddin Ali, S. *See* K. Radhika Reddy, 548
Zamorani, A. *See* A. D. B. Peruffo, 122
Zayas, I. Y., D. B. Bechtel, J. D. Wilson, and R. E. Dempster. Distinguishing selected hard and soft red winter wheats by image analysis of starch granules, 82
Zhao, J., and R. L. Whistler. NOTE: Isolation and characterization of starch from amaranth flour, 392

Subject Index

Page number of erratum is in italic.

Acknowledgment of reviewers, v
Additives, effect on bread quality using durum wheat (Boyacioglu and D'Appolonia), 28
Air classification, high-protein and high β-glucan barley (Wu et al), 220
Amaranth
—isolation and characterization of starch from (Zhao and Whistler), 392
—starches; comparison of yield and properties of, using wet and dry-wet milling processes (Uriyapongson and Rayas-Duarte), 571
—wet milling and starch quality (Myers and Fox), 96
Amino acid
—composition; of oat protein fractions (Lapveteläinen and Aro), 133
—content; in brown and polished rice (Sotelo et al), 605
α-Amylase, activity; correcting Falling Number values from ground wheat meals (Stone et al), 269
Amylopectin
—effect of retrogradation on enzyme susceptibility (Eerlingen et al), 351
—maize, molecular size distributions (Politz et al), 532
—retrogradation from maize and wheat (Ward et al), 150
Amylose
—content in rice, relation to cooked rice texture (Radhika Reddy et al), 548
—lipid complexed via extrusion cooking (Bhatnagar and Hanna), 587
—location in starch granule (Kasemsuwan and Jane), 282
—maize, molecular size distributions (Politz et al), 532
—rapid estimation in maize starches (Knutson and Grove), 469
Antibody, polyclonal antibodies to rice bran proteins (Landers and Hamaker), 409
Antioxidant, activity of zeins from maize (Matsumura et al), 428
Arabinoxylan, from wheat bran; preparation of (Shiiba et al), 279
Ascorbic acid, fortification in bread (Park et al), 412

Bagels, laboratory-scale procedure for producing (Bath and Hoseney), 403
Baked goods, analysis and prediction of dietary fiber content and composition in (Vollendorf and Marlett), 99
Baking
—bagels, procedure for producing (Bath and Hoseney), 403
—bread; emulsifier compared to enzymes (Valjakka et al), 139
—bread, use of durum flour or semolina (Boyacioglu and D'Appolonia), 34
—chocolate chip cookies with reduced shortening (Armbrister and Setser), 344
—comparison of durum and bread wheats (Boyacioglu and D'Appolonia), 21
—effect on dietary fiber content and composition (Vollendorf and Marlett), 99
—effect on microstructural and physical properties of rye dough and bread (Parkkonen et al), 58
—effect using blends of durum and bread wheats (Boyacioglu and D'Appolonia), 28
—of extrusion-formed snacks (Singh et al), 417
—instrumental measurement of bread crumb grain (Sapirstein et al), 383
—white pan bread; sucrose replacement (Valjakka et al), 145
Barley
—cereal; properties (Berglund et al), 91
—effects of genotype and nitrogen on protein aggregates (Bénétrix et al), 75
—β-glucan distribution in different genotypes (Miller and Fulcher), 64
—limit dextrinase: bound and free forms (Sissons et al), 520; extraction, purification, and characterization (MacGregor et al), 610
—sieving and air classification (Wu et al), 220
—tocols in (Peterson), 42
Beans, effects of minerals and apparent phytase activity in development of (Kilmer et al), 476
Bran, corn, steryl ferulate and *p*-coumarate esters (Norton), 111
Bread and breadmaking
—ethyl carbamate in U.S. and Canadian breads, measurements by GC-MS (Haddon et al), 207
—pup-loaves and white pan bread, vitamin C stabilities during making and storing (Park et al), 412
—quantitation of crumb grain by digital image analysis (Sapirstein et al), 383
—sponge and dough, oven rise, oxidation (Yamada and Preston), 297
—straight-dough containing varying levels of enzyme-resistant starch (Eerlingen et al), 165
—use of durum flour or semolina to produce bread (Boyacioglu and D'Appolonia), 21, 28, 34
—water-soluble dextrins from α-amylase-treated bread and relationship to bread firming (Akers and Hoseney), 223
—white pan bread, emulsifier compared to enzymes (Valjakka et al), 139
—white pan bread, sucrose replacement (Valjakka et al), 145
Bromate, effects on proteins and lipids of dough (Panozzo et al), 195
Brown rice, lipase activity and oxidation inhibition in (Champagne and Hron), 483

Cakes
—functionality of wheat lipid fractions in sponge cake-baking (Takeda), 6
—yellow layer, enzyme-resistant starch in (Lin et al), 69
Calcium, absorption in rats fed red or white winter wheat or oatmeal diets (Maziya-Dixon and Klopfenstein), 544
Cancer, colon, protective effect of red vs. white wheat (Maziya-Dixon et al), 359
Carbohydrates, as fat replacers in chocolate chip cookies (Armbrister and Setser), 344
Carbon dioxide, supercritical extraction of corn gluten meal (Wu et al), 217
Cereal
—extruded, barley (Berglund et al), 91
—starch measurement of, interlaboratory evaluation (McCleary et al), 501
Cholesterol
—effect of wheat water solubles compared with oat bran (Maziya-Dixon et al), 287
—lowering effects of hard red vs. hard white wheats and oatmeal (Maziya-Dixon and Klopfenstein), 539
Cookies
—chocolate chip with reduced shortening (Armbrister and Setser), 344
—sugar-snap quality associated with HMW glutenin alleles (Souza et al), 601
Corn (see also Maize)
—drying of high-moisture, effect on physical qualities and protein properties (Peplinski et al), 129
—gluten meal; supercritical carbon dioxide extraction (Wu et al), 217
—immunoassay detection of residues (Hardy and Hurburgh), 107
—masa, effect of cooking time, grinding, and moisture content on (Ramirez-Wong et al), 337
—shear thinning of pasted starches (Subramanian et al), 272
—starches of, free fatty acids in (Kitahara et al), 439
—starch molecular size determination (Politz et al), 532
—thermal properties of tropical and semitropical maize starches (Li et al), 87
Corn meal, extrusion cooking of, with soy fiber, salt, and sugar (Jin et al), 227
Corn starch
—amylose-lipid complex formation during single-screw extrusion of (Bhatnagar and Hanna), 582
—extruded, relationship between functional properties and macromolecular modifications of (Tang and Ding), 364
—lipid complexing via extrusion cooking (Bhatnagar and Hanna), 587
—thermal properties (Campbell et al), 556

Danish pastry, effect of ingredients on firming (Sternhagen and Hoseney), 560
Dietary fiber, content and composition in baked products (Vollendorf and Marlett), 99
Differential scanning calorimetry
—of corn starch (Campbell et al), 556
—for detecting amylose-lipid complexing (Bhatnager and Hanna), 587
Dough
—corn, fermentation (Obiri-Danso), 186
—effect of low amounts of reducing agents (Khan et al), 242
—frozen, effect of cream or compressed yeast (Gélinas et al), 183
—frozen, effects of storage and thaw-freeze cycles on rheological properties (Inoue et al), 118
—mixing; effect of methoxyhydroquinone on (Koh and Hoseney), 311
—mixing; properties as measure of reversible reduction and oxidation of (Bekes et al), 44
—mixing requirement of Australian cultivar, Dollarbird (Oliver and Allen), 51
—properties of extrusion-formed and baked snacks (Singh et al), 417
—properties; proteins and lipids (Panozzo et al), 195
—rheology and stickiness evaluation (Fenn et al), 189

—stickiness (Heddleson et al), 564
—sugar content (Potus et al), 505
—wheat tortilla, effect of decorticated sorghum addition on rheology of (Torres et al), 509
Drying
—determination of dry gluten in air oven vs. microwave oven (Vatsala and Haridas Rao), 635
—effect of cowpea addition and high temperature drying on soft wheat pasta quality (Berman et al), 523
—effect of drying conditions on Maillard reaction extent in pasta (Resmini and Pellegrino), 254
—of high-moisture corn; changes in physical quality and protein property (Peplinski et al), 129

Electrophoresis
—acid-PAGE of LMW and HMW subunits of wheat proteins (Morel et al), 238
—capillary, of wheat gliadin and glutenin subunits (Werner et al), 397
—SDS-PAGE of oat protein fractions (Lapveteläinen and Aro), 133
—SDS-PAGE of unreduced glutenin (Khan et al), 242
—two-dimensional SDS-PAGE of friabilin (Oda), 394
Energy value, of a synthetic fat (caprenin) in muffins (Ranhotra et al), 159
Enzymes
—effect of lipids on the resistance to amylolysis of starch gels (Eerlingen et al), 170
—effect of retrogradation of waxy maize starch on enzyme susceptibility (Eerlingen et al), 351
—limit dextrinase, isolation from malted barley (MacGregor et al), 610
—polyphenol oxidases in wheat (Kruger et al), 324
—quality of breads varying in amylolysis resistance (Eerlingen et al), 165
—raw-starch digesting compared to fungal and bacterial and white pan bread emulsifier (Valjakka et al), 139
—raw-starch digesting, replacement of sucrose in white pan bread (Valjakka et al), 145
—sugar influence on resistant starch formation (Eerlingen et al), 472
Ergosterol, content in relation to grain kernel weight (Regnér et al), 55
Erratum, vol. 71, no. 4, p. 378 and 380, *640*
Extrusion
—to complex amylose and lipids (Bhatnagar and Hanna), 587
—conditions; influence on extrusion speed, temperature, and pressure in the extruder and on pasta quality (Abecassis et al), 247
—effects on starch structure (Politz et al), 532
—formed snacks, baking (Singh et al), 417
—of high-fiber barley cereals (Berglund et al), 91
—qualities; differences in physical properties and microstructure of wheat cultivars (Sutheerawattananonda et al), 627
—single-screw, of corn starches, amylose-lipid complex formation during (Bhatnagar and Hanna), 582
Extrusion cooking
—of corn meal with soy fiber, salt, and sugar (Jin et al), 227
—sorghum protein digestibility and solubility (Hamaker et al), 515

Fermentation
—corn dough (Obiri-Danso), 186
—sugar utilization during, influence of dough-making conditions (Potus et al), 505
Fertilizer, nitrogen, differing in mode and rate of N release (Peltonen and Virtanen), 1
Fiber, β-glucan, total dietary and soluble (Beglund et al), 91
Flat bread, wheatless (Toufeili et al), 594
Flour
—determination of damaged starch (Rogers et al), 578
—effect of methoxyhydroquinone on overmixing of flour water (Koh and Hoseney), 311
—gels; phase transitions of (Huang et al), 202
—wheat lipids, functional properties in sponge cake-baking (Takeda), 6
Fluorescence, intrinsic, quenching of, in gluten proteins (Stevenson and Preston), 155
Fractionation
—of flour protein by solubility and electrophoretic procedures (Khan et al), 242
—of gluten proteins by adsorption chromatography on controlled-pore glass beads (Peruffo et al), 122
—of wheat proteins by RP-HPLC (Huebner), 513
Functionality, of high-protein oat flour derived from starch process (Lapveteläinen and Aro), 133

GC-MS, for measuring ethyl carbamate in U.S. and Canadian breads (Haddon et al), 207
Gliadin
—extraction with 70% ethanol and/or 2M LiCl (Huebner), 513
—separation on controlled-pore glass beads (Peruffo et al), 122
β-Glucan
—distribution in oats and barley (Miller and Fulcher), 64
—enrichment by sieving and air classification (Wu et al), 220
—in oats, structure (Wood et al), 301
Gluten
—gel-filtration fractions, intrinsic fluorescence and quenching studies of (Stevenson and Preston), 155
—rapid determination of by microwave (Vatsala and Haridas Rao), 635
—structure (Bekes et al), 44
Glutenin
—fractionation by SDS-PAGE (Khan et al), 242
—HMW association with sugar-snap cookie quality (Souza et al), 601
—LMW and HMW subunits, characterization by acid-PAGE (Morel et al), 238
—LMW subunits from wheat, simple and rapid method for purifying (Melas et al), 234
—macropolymer; extractability factors (Weegels et al), 308
—polymer purification in nondenaturing conditions (Peruffo et al), 122
Grain
—cereal, adsorption of volatile fungal metabolites to (Börjesson et al), 16
—kernel weight in relation to ergosterol content (Regnér et al), 55

Herbicide, detection in corn (Hardy and Hurburgh), 107
HPLC
—analysis of corn bran sterol esters (Norton), 111
—analysis of Maillard reaction compounds in dried pasta (Resmini and Pellegrino), 254
—of oligosaccharides released by enzyme from β-glucan (Wood et al), 301

Image analysis, of starch granules; to distinguish hard and soft red winter wheats (Zayas et al), 82
Immunoassay, residue detection in corn (Hardy and Hurburgh), 107
Instructions to authors, iii

Legumes, cowpea addition to high-temperature-dried soft wheat pasta (Bergman et al), 523
Lentil, moisture-absorption characteristics of (Tang et al), 423
Limit dextrinase
—from malted barley; extraction purification, and characterization (MacGregor et al), 610
—starch degrading enzyme (Sissons et al), 520
Lipase, oat, effect of variety and growth conditions (Parmar et al), 537
Lipids
—complexing with amylose via extrusion cooking (Bhatnagar and Hanna), 587
—ferulate and *p*-coumarate sterol esters (Norton), 111
—protein association, bromate effect (Panozzo et al), 195
—total, contents of free, bound, and structural in small millets (Sridhar and Lakshminarayana), 355
—wheat, functionality in sponge cake-baking (Takeda), 6

Maillard reaction, evaluation in dried pasta by HPLC (Resmini and Pellegrino), 254
Maize (see also Corn)
—antioxidant activities of zeins from (Matsumura et al), 428
—rapid estimation of amylose in starches (Knutson and Grove), 469
—starch: structure and function with different sugary-2 dosages (Campbell et al), 464; thermal properties (Campbell et al), 556
Malt, limit dextrinase; extraction, purification, and characterization (MacGregor et al), 610
Malting, effects on tocols (Peterson), 42
Mashing, effects on barley tocols (Peterson), 42
Methods
—correction equation development for Falling Number values from ground wheat meals (Stone et al), 269
—digital image analysis for quantitation of bread crumb grain (Sapirstein et al), 383
—starch damage determination (Rogers et al), 578
Microscopy, fluorescence, in structural studies of rye kernel, dough, and bread (Parkkonen et al), 58
Microwave, rapid dry gluten determination (Vatsala and Haridas Rao), 635
Millet, small, contents of total lipids, lipid classes, and composition of fatty acids in (Sridhar and Lakshminarayana), 355
Milling
—and baking quality of wheat-rye translocations (Fenn et al), 189
—degree of, measured with commercial milling meter (Siebenmorgen and

Sun), 327
—effect of extraction rate on Cantonese noodle quality (Kruger et al), 177
—effects of frost damage and immaturity on durum wheat semolina, yield and quality (Dexter et al), 494
—preprocessing effects on (Dexter et al), 10
—roller and hammer milled wheats, effect on damaged starch measurement (Rogers et al), 578
—tocols in barley fractions (Peterson), 42
Minerals, effects on hard-to-cook beans (Kilmer et al), 476
Mixing
—of dough; effect of methoxyhydroquinone on (Koh and Hoseney), 311
—requirement of Australian cultivar, Dollarbird (Oliver and Allen), 51
Mixograph
—dough mixing (Hazelton and Walker), 632
—effect of cell-wall hydrolysate (Shiiba et al), 279
Moisture, absorption characteristics of lentils and seeds (Tang et al), 423
Muffins, energy value of medium-chain triglycerides in (Ranhotra et al), 553

NIR spectroscopy; for rice amylose analysis (Villareal et al), 292
Nitrogen, nutrition; effect on protein aggregates in barley (Bénétrix et al), 75
NMR spectroscopy; of phosphorus in starch (Lim et al), 488
Noodles
—darkening caused by the enzyme polyphenol oxidase (Kruger et al), 324
—effect of color and texture (Kruger et al), 177
—instrumental probe and method to measure stickiness of (Guan and Seib), 330

Oat
—β-glucan distribution in different genotypes (Miller and Fulcher), 64
—β-glucan structure (Wood et al), 301
—lipase, effect of variety and growth conditions (Parmar et al), 537
—protein composition and functionality of protein-rich by-product from starch process (Lapveteläinen and Aro), 133
—starch; functional properties and relation to structural characteristics (Wang and White), 443
—starch; structure and physicochemical properties (Wang and White), 443
—texture profile analysis, role and contribution of starch and protein contents and quality (Baik et al), 315
Oxidation, of doughs (Bekes et al), 44

Pasta
—effect of cowpea addition and high-temperature drying on soft wheat pasta quality (Bergman et al), 523
—effects of extrusion conditions on quality (Abecassis et al), 247
—effects of frost damage and immaturity on durum wheat pasta quality (Dexter et al), 494
—high-temperature drying and Maillard reaction extent (Resmini and Pellegrino), 254
Pentosans, wheat bran, preparation and effect on mixing properties (Shiiba et al), 279
Popcorn
—kernel moisture content, equilibrium isotherm (Song and Eckhoff), 461
—optimum moisture content of different kernel sizes (Song and Eckhoff), 458
Pressure-sensitive adhesive, properties (Heddleson et al), 564
Protein
—aggregates in barley (Bénétrix et al), 75
—effect of extrusion on sorghum digestibility and solubility (Hamaker et al), 515
—effects of frost damage and immaturity on durum wheat gluten proteins (Dexter et al), 494
—enrichment by sieving and air classification (Wu et al), 220
—as fat replacers in chocolate chip cookies (Armbrister and Setser), 344
—friabilin starch granule (Oda), 394
—of oats; alterations occurring in the composition during processing (Lapveteläinen and Aro), 133
—quality changes in dried high-moisture corn (Peplinski et al), 129
—quality evaluation of cooked rice, in growing rats (Eggum et al), 199
—quality; Mexican rice varieties (Sotelo et al), 605
—rice bran, antigenic properties of fractions (Landers and Hamaker), 409
—role in texture profile analysis of Oriental noodles (Baik et al), 315
—separation of gliadin and glutenin subunits by capillary electrophoresis (Werner et al), 397
—wheat, determination by dye binding in flour, dough, and bread crumb (Eynard et al), 434
—wheat storage, quantity and quality of (Peltonen and Virtanen), 1

Response surface methodology, in formulation of wheatless pocket bread (Toufeili et al), 594
Retrogradation
—of amylopectin from maize and wheat (Ward et al), 150
—in Danish pastry (Sternhagen and Hoseney), 560
Rheology
—comparison of durum and bread wheats (Boyacioglu and D'Appolonia), 21
—dough mixing (Hazelton and Walker), 632
—measurements on rye doughs (Parkkonen et al), 58
—rice pastes, viscoelastic properties of (Radhika Reddy et al), 548
—of wheat tortilla dough, effect of decorticated sorghum addition (Torres et al), 509
Rice
—amylose analysis by NIR transmittance spectroscopy (Villareal et al), 292
—cooked, protein quality of, in growing rats (Eggum et al), 199
—cooked paste rheology, viscoelastic properties, amylose content and cooking quality (Radhika Reddy et al), 548
—12 Mexican rice varieties (Sotelo et al), 605
—milling; process of removing hulls and bran from (Siebenmorgen and Sun), 327
—starch; phase transitions of (Huang et al), 202
Rice bran
—antigenic properties (Landers and Hamaker), 409
—esterase activity and free fatty acid accumulation in (Tsuzuki et al), 162
RP-HPLC, comparison of 70% ethanol and/or 2M LiCl extracts of wheat flour (Huebner), 513
Rye, microstructure of rye kernel, dough, and bread (Parkkonen et al), 58

SDS-PAGE, electrophoresis and laser-scanning dennsitometry for quantifying proteins of wheat (Peltonen and Virtanen), 1
Sonication, of wheat starch (Seguchi et al), 636
Sorghum
—effect of extrusion on protein digestibility and solubility (Hamaker et al), 515
—factors affecting color and appearance of starch isolated from (Subramanian et al), 275
—shear thinning of pasted starches (Subramanian et al), 272
Spaghetti
—instrumental probe and method to measure stickiness of (Guan and Seib), 330
—preprocessing effects on (Dexter et al), 10
Staling
—in Danish pastry (Sternhagen and Hoseney), 560
—importance of durum wheat on bread staling (Boyacioglu and D'Appolonia), 34
—relationship of water-soluble dextrins from α-amylase-treated bread to bread firming (Akers and Hoseney), 223
Starch
—amaranth: comparison of yield and properties of, using wet and dry-wet milling processes (Uriyapongson and Rayas-Duarte), 571; wet milling quality and yield (Myers and Fox), 96
—from amaranth flour, isolation and characterization (Zhao and Whistler), 392
—analysis of amylose's location (Kasemsuwan and Jane), 282
—cold-water soluble, physical modification (Chen and Jane), 618
—damage, measurement (Rogers et al), 578
—effect of lipids on resistant starch formation (Eerlingen et al), 170
—effect of retrogradation of waxy maize starch on enzyme susceptibility (Eerlingen et al), 351
—enzyme-resistant, in yellow cake mix (Lin et al), 69
—free fatty acids in, of corn and sweetpotato (Kitahara et al), 439
—granular cold-water soluble, prepared by alcoholic-alkaline treatments (Chen and Jane), 623
—granules; image analysis to distinguish hard and soft red winter wheats (Zayas et al), 82
—isolated from sorghum, factors affecting color and appearance (Subramanian et al), 275
—measurement; interlaboratory evaluation (McCleary et al), 501
—oat, functional properties of (Wang and White), 443
—oat, properties of (Wang and White), 443
—oat, structure and properties of amylose, amylopectin, and intermediate materials of (Wang and White), 263
—phosphorus in, NMR spectroscopy (Lim et al), 488
—quality of bread containing varying levels of enzyme-resistant (Eerlingen et al), 165
—rapid estimation of amylose in maize (Knutson and Grove), 469
—retrogradation: of amylopectin from maize and wheat (Ward et al), 150; correlation with glass transition temperature (Wang and Jane), 527
—rice, phase transitions of (Huang et al), 202

—role in texture profile analysis of Oriental noodles (Baik et al), 315
—shear thinning of pasted corn and sorghum starches (Subramanian et al), 272
—sugar influence on resistant starch formation (Eerlingen et al), 472
—thermal properties of tropical and semitropical maize starches (Li et al), 87
—wheat, structures (Seguchi et al), 636
Sugar, influence on enzyme-resistant starch formation (Eerlingen et al), 472
Sugary-2 locus, dosage effect on maize starch (Campbell et al), 464
Synthetic fat, energy value of caprenin (Ranhotra et al), 159

Temperature
—effects of during grain-filling on starches from six wheat cultivars (Shi et al), 369
—glass-transition, correlation with starch retrogradation (Wang and Jane), 527
Texture
—of cooked rice, relation to amylose content, amylopectin structure (Radhika Reddy et al), 548
—corn masa, effect of cooking time, grinding, and moisture content on (Ramirez-Wong et al), 337
Tocals, in barley (Peterson), 42
Tortilla, wheat dough, effect of decorticated sorghum addition on rheology of (Torres et al), 509
Triglycerides, medium-chain, energy value in muffins (Ranhotra et al), 553
Tryptophan, fluorescence studies of, in wheat gluten extracts (Stevenson and Preston), 155

Urethane, in U.S. and Canadian breads; measurements by GC-MS (Haddon et al), 207

Viscoelasticity, of rice flour pastes, relation to amylose content, amylopectin structure (Radhika Reddy et al), 548
Volatiles, adsorption of, to wheat grains and subsequent desorption (Börjesson et al), 16

Wet milling, amaranth; starch quality and yield fractions (Myers and Fox), 96
Wheat
—breadmaking quality (Yamada and Preston), 297
—cholesterol-lowering effects of red vs. white wheat flours, brans, and whole meals compared to oatmeal (Maziya-Dixon and Klopfenstein), 539
—classification distinguished by image analysis (Zayas et al), 82
—durum, preprocessing effects on milling (Dexter et al), 10
—durum, use in bread (Boyacioglu and D'Appolonia), 21, 28, 34
—effect of flour refinement on noodle quality (Kruger et al), 177
—effects of red vs. white wheat flours, brans, and whole meals compared to oatmeal on fecal water-holding capacity and loss of protein, ash, calcium, and zinc in rats (Maziya-Dixon and Klopfenstein), 544
—flour quality of amphiploids derived from (Alvarez et al), 517
—friabilin starch granule protein (Oda), 394
—grains, adsorption of volatile fungal metabolites to (Börjesson et al), 16
—LMW subunits of glutenin, simple and rapid method for purifying (Melas et al), 234
—meals; correcting Falling Number values (Stone et al), 269
—polyphenol oxidases (Kruger et al), 324
—protective effect of hard red vs. hard white in chemically induced colon cancer in mice (Maziya-Dixon et al), 359
—protein determination by dye binding in flour, dough, and bread crumb (Eynard et al), 434
—proteins extracted with 70% ethanol and/or 2M LiCl (Huebner), 513
—proteins; structure of, as examined by fluorescence studies (Stevenson and Preston), 155
—quality of wheat-rye translocations (Fenn et al), 189
—starch, effects of temperature during grain-filling (Shi et al), 369
—starch structures; sonication of (Seguchi et al), 636
—varieties; differences in physical properties and microstructure of (Sutheerawattananonda et al), 627
—water solubles, in angel food cakes (Maziya-Dixon et al), 287
Wheat bran
—nutritional profile (Ranhotra et al), 321
—purification and characterization of cell-wall hydrolysate (Shiiba et al), 279

Yeast, activity in frozen doughs, effect of cream or compressed (Gélinas et al), 183

Zein, antioxidant activities of, from maize (Matsumura et al), 428
Zinc, absorption in rats fed red or white winter wheat or oatmeal diets (Maziya-Dixon and Klopfenstein), 544